

Public Works Resiliency Project Questionnaire

The following are a series of questions designed to get feedback from the public on proposed property acquisitions. Please answer them on this sheet and mail, fax or email them back to the County. You can also answer these questions online using the following link (Ctrl+Click to follow). <https://PollEv.com/surveys/rlO5tSCWtnQvWokF0HU10/respond>. Regardless of your submission method, the unique identifier code provided in the mailer will need to be included with your questionnaire submission.

1. Do you support moving the Public Works Facility out of the tsunami inundation zone?
☐ Yes ☐ No
2. Do you think that the Lewis & Clark Sorting Yard would be an appropriate location for a relocated Public Works Facility?
☐ Yes ☐ No ☐ Not sure
3. How proactive should the County be in pursuing emergency and alternate routes in preparation for a seismic event?
☐ Very Proactive ☐ Somewhat Proactive ☐ Not Proactive
4. Do you think that the County should acquire existing private roads for alternate or emergency routes if they are currently available?
☐ Yes ☐ No
5. If yes, should these alternate or emergency routes be improved to County Standards?
☐ Yes ☐ No ☐ Not applicable
6. If these alternate routes were obtained and improved should they be open for general public access?
☐ Yes ☐ No
7. Please rank the following potential projects in order of importance with 1 being the most important and 4 being the least important.

_____ Public Works Facility Relocation

_____ Pipe Line Road

_____ Lewis & Clark Mainline N Section

_____ Lewis & Clark Mainline S Section

If mailing please mail to the following address:
Clatsop County
800 Exchange Street, Suite 400
Astoria, OR 97103

If emailing please send to: commissioners@co.clatsop.or.us
For fax submittal the fax number is 503 325 8325

Unique Identifier Code:

(required for
questionnaire submission)